

SAFE WORK INSTRUCTION (SWI) Walking Gear Compartments - DL

Owner: Dragline Cleaning Services Pty Ltd Effective Date: 28/10/2020 Review Date: 28/04/2021

Version 1

Authorised by Justin Goodwin – General Manager

Confidentiality Notice: This document is confidential and contains proprietary information and intellectual property of Dragline Cleaning Services Pty Ltd. Neither this document nor any of the information contained herein may be reproduced or disclosed under any circumstances without the written permission of Dragline Cleaning Services Pty Ltd. Please be aware that disclosure, copying, distribution or use of this document and the information contained therein is strictly prohibited.



Related Procedures, Information and Documents	1
Tools and Equipment	1
Additional PPE	
Skills or Roles	
Isolation	
Detailed Task Description	2
Job Steps	
Stop Points	8
Review Acknowledgement	8



IMPORTANT – PRIOR TO COMMENCING THE TASK, identify any additional **HAZARDS** and **CONTROLS** that may be required to reduce the risk to a level as low as reasonably achievable.

Consider the skills and experience of the PEOPLE involved, the suitability of the EQUIPMENT to be used, and the workplace ENVIRONMENT. Any additions noted are to be submitted to the Document Owner for updates to this Work Instruction.

Related Procedures,	Site specific Isolation SOP
Information and Documents	Site specific Manual Handling SOP
Documented information	SDS Genesis E-Greaser
specifically related to the task, SOPs, SDS, OEM, permits etc.	Site Specific PTW
Related Permits	Site Permit to work
Tools and Equipment	Paint Scrappers
Specific tools and equipment	Waste Bags
needed to complete the task (other than standard equipment)	Buckets
	Spray Bottles
	• Shovels
	• Rags



MINING & INDUSTRIAL CLEANING	Walking Gear Comparements DE		
Additional PPE	Dust Mask		
Specific PPE needed for the	Respirator (When Required)		
task (not including site standard minimum)	Overalls		
	Safety Glasses		
	• Gloves		
	Hearing Protection		
	Hard Hat		
	Head Lamp/Working Light		
Skills or Roles	Work Area Familiarisation		
Specific skills or roles needed for the task	Completion of work base training		
Isolation	Isolation Point		
Specific isolation points relevant	Group Isolation of equipment		
to the task are identified along with how the isolation will be verified or "tested for dead"	Motion Isolation (Swing/Propel)		
Detailed Task Description	1. Escort DCS Field Team and DCS Supervisor to location		
Detailed methodology	2. General Group Isolation of the machine		
considering all items listed above	3. Set up Work Area		
	a. Positive communication with other workers in the area		
	b. Tools, Equipment and PPE ready		
	4. Drain bulk grease from Walking Gear Compartments		
a. Bucket with bags in it, place underneath nozzle			
	4		



MINING & INDUSTRIAL CLEANING	
	b. Turn Nozzle
	c. Second Bucket with bag ready
	d. Remove first bucket and replace with second bucket
	e. Tie bag set aside. Put new bag in and repeat from step c, until all greased removed.
	 f. Dispose of grease according to site regulations, ask co-workers to help with removal of bags.
	5. Pack up work area, double check work area if free of any debris and tools
	6. Report any defects to the supervisor as soon as found

Jo	b Steps	Known Hazards	Identified Controls	Responsible Person
1.	Escort DCS Field Team and DCS Supervisor to location. - Ensure site access (people and fleet) and radio	Uncontrolled movement	 Chock vehicle fundamentally stable 	DCS Field Team and DCS
	communication protocols are adhered to. Site access checks and Vehicle Compliance are undertaken prior	Vehicle interactions	 Escort/planned route/ communication procedures 	Supervisor
	to site entry to ensure authorisations.	Mechanical breakdowns	 Pre-start/up to standard maintenance 	
		Road conditions	 Drive to conditions/monitor road conditions 	
		Other Workers in Area	 Positive communication/two- way radio/Verbal 	
2.	General Group Isolation of the machine	Electrical, Mechanical, Stored pressure	 Identify energy source, confirm propel are under group isolation 	DCS Field Team and DCS Supervisor
	 Lock on to group isolations/ equipment isolations as specified on RA and at Pre-start. 	 Uncontrolled release of energy sources 	Positive isolation and securePlace Tags, Locks or Permits	
		Uncontrolled movement	Positive isolation and secureVerify Isolation (Test for Dead)	
3.	Set-up at location	Electrocution / Release of energy	Positive isolation, lock tag test	DCS Field
		sources	for dead o Identify Energy Source	Team and DCS Supervisor



Job Steps	Known Hazards	Identified Controls	Responsible Person
 a. Positive communication with other workers in the area b. Tools, Equipment and PPE ready 		Verify Isolation (Test for dead)Conduct Risk Assessment	- I crson
 Participate in site prestart, sign onto Risk assessment, under-take a SLAM/Take 5, review scope with site representatives and DCS field Team. allocate Scope to teams of employees based on experience, capabilities, and authorisations. 	Slips (Oil Spills, Grease Spills, Water)/trips (Poor house keeping, Hoses, tools and equipment)/falls (access and egress)	 Situational Awareness, appropriate footwear, 3 points of contact Conduct Risk Assessment 	
	Pinch points (Doors, Hinges, Latches, Hoses and ropes)	 Situational Awareness, correct PPE, Stay out of the line of fire Conduct Risk Assessment 	
	 Falling objects (Tooling, Hose and ropes) 	 Spotter, drop zone, barricade, exclusion zones Conduct Risk Assessment 	
	Noise Pollution	 Conduct Risk Assessment Earplugs when needed, on person at all times 	
	Dust Pollution	 Conduct Risk Assessment Dust masks when needed, on person at all times, respirator, adequate ventilation 	
	 Overexertions / Incorrect lifting techniques Back injuries, sprains & strains 	 Team lift, fatigue management plans, correct lifting techniques, rotate tasks, mechanical lift if needed Conduct Risk Assessment 	
	Dehydrations/Heat Stress	 Drinking water on hand, work to conditions, regular breaks 	
	Other Workers in Area	 Positive communication/two- way radio/Verbal, Barricades, signage/Tags, spotter when needed 	



Job Steps	Known Hazards	Identified Controls	Responsible Person
4. Drain bulk grease from Walking Gear Compartments	Electrocution / Release of energy	Positive isolation, lock tag test	DCS Field
a. Bucket with bags in it, place underneath nozzle	sources	for dead o Identify Energy Source	Team and DCS Supervisor
b. Turn Nozzle		Verify Isolation (Test for dead)	
c. Second Bucket with bag ready		 Conduct Risk Assessment 	
d. Remove first bucket and replace with second bucket	Slips (Oil Spills, Grease Spills,	Situational Awareness,	-
e. Tie bag set aside. Put new bag in and repeat from step c, until all greased removed.	Water)/trips (Poor house keeping, Hoses, tools and equipment)/falls (access and egress)	appropriate footwear, 3 pointsof contactConduct Risk Assessment	
f. Dispose of grease according to site regulations, ask co- workers to help with removal of bags.	Pinch points (Doors, Hinges, Latches, Hoses and ropes)	 Situational Awareness, correct PPE, Stay out of the line of fire Conduct Risk Assessment 	
- Note Each area is required to be designated on the	 Falling objects (Tooling, Hose and ropes) 	 Spotter, drop zone, barricade, exclusion zones Conduct Risk Assessment 	
scope of works provided by site, the list below is not specific order as each site requirement is as needs requested. Refer to each sub section with the know		 Conduct Risk Assessment Earplugs when needed, on person at all times 	
hazard identified the same for each.	Dust Pollution	 Conduct Risk Assessment Dust masks when needed, on person at all times, respirator, adequate ventilation 	
	 Overexertions / Incorrect lifting techniques Back injuries, sprains & strains 	 Team lift, fatigue management plans, correct lifting techniques, rotate tasks, mechanical lift if needed Conduct Risk Assessment 	
	Dehydrations/Heat StressOther Workers in Area	 Drinking water on hand, work to conditions, regular breaks Positive communication/two- 	
	St. C. Workers III / Wed	way radio/Verbal, Barricades,	



Job Steps					Responsible Person	
		signage/Tags, spotter when needed				
Pack up work area, double check work area if free of any debris and tools Remove Rubbish, tools, and equipment from job site. Ensure guarding or barriers are placed back in original position. Permits and job sheets to be signed off by	Electrocution / Release of energy sources	 Positive isolation, lock tag test for dead Identify Energy Source Verify Isolation (Test for dead) Conduct Risk Assessment 	DCS Field Team and DCS Supervisor			
appointed Supervisors. Remove Isolation Lock. Advise Supervisor of any comments or unfinished work. Pack-up vehicles ready to leave job site.	 Slips (Oil Spills, Grease Spills, Water)/trips (Poor house keeping, Hoses, tools and equipment)/falls (access and egress) 	 Situational Awareness, appropriate footwear, 3 points of contact Conduct Risk Assessment 				
	Pinch points (Doors, Hinges, Latches, Hoses and ropes)	 Situational Awareness, correct PPE, Stay out of the line of fire Conduct Risk Assessment 				
	Falling objects (Tooling, Hose and ropes)	 Spotter, drop zone, barricade, exclusion zones Conduct Risk Assessment 	-			
	Noise Pollution	 Conduct Risk Assessment Earplugs when needed, on person at all times 				
	Dust Pollution	 Conduct Risk Assessment Dust masks when needed, on person at all times, respirator, adequate ventilation 	-			
	Overexertions / Incorrect lifting techniques	 Team lift, fatigue management plans, correct lifting techniques, rotate tasks, mechanical lift if needed 				



Job Steps	Known Hazards	Identified Controls	Responsible Person
	- Back injuries, sprains & strains	o Conduct Risk Assessment	
	Dehydrations/Heat Stress	 Drinking water on hand, work to conditions, regular breaks 	-
6. Report any defects to the supervisor as soon as found	• NIL	o NIL	DCS Field Team and DCS Supervisor





Stop Points (Identified points in the task where the work is to stop for the completion of activities, checks of control effectiveness, inspections or tests)				
	Identified Stop Points	What is to Occur		
	New workers to the area	Stop and Review Hazards		
Work Task Stop Points	Weather Changes	Stop and Review Hazards, Report to supervisor of change, before returning to work.		
	Isolation Change	Stop and Review Hazards, Report to supervisor of change, before returning to work.		
(if any) Any need to stop during the task,				
where identified by the supervisor OR work Group	User to Note any Additional Stop Points	What is to Occur		
on nom croup				

We have reviewed the task/work area and have identified any additional HAZARDS and implemented CONTROLS to reduce the risk to a level as low as reasonably achievable.

We have considered the skills and experience of the PEOPLE involved, the suitability of the EQUIPMENT to be used, and the workplace ENVIRONMENT and have determined that risk is at an acceptable level.

Review Acknowledgement (Work Group and Supervisor)				
Work Group	Name	Signature	Name	Signature



Review Acknowledgement (Work Group and Supervisor)				
Supervisor	Name		Signature	

ν1